

---

Vendor Accessibility Questionnaire

1. Is your entire solution (including user and administrator (or faculty member) functions) ADA compliant to WCAG 2.0 Level AA guidelines?
2. Is all functionality of your solution (including all menus and other navigation) operable via the keyboard without relying on key shortcuts? If no, please explain why.
3. Does your solution provide a clear visual indicator of the current item in focus? If no, please explain why.
4. Does your solution rely on color alone to convey application state or other information? If no, please explain why.
5. Does your solution have form fields and buttons with valid programmatic labels that are available to assistive technologies? If no, please explain why.
6. Does your solution have descriptive alternate text for informational images, charts and graphs? If no, please explain why.
7. Does your solution have a logical and programmatically discernable structure (e.g. headings) that follows the visual structure? If no, please explain why.
8. Does your solution have a logical reading order for assistive technologies and a logical tab order for keyboard users? If no, please explain why.
9. Does your solution meet specified minimums for color contrast of text to ensure readability? If no, please explain why.
10. Does your solution remain usable in high contrast color modes? If no, please explain why.
11. Does your solution allow for magnification without loss of content (e.g. zooming the page to 200%-is all content of the screen retained)? If no, please explain why.
12. Please provide the name and contact information for a person or team in your company who handles accessibility issues. This person or team should know which parts of your solution are accessible and to what degree.

13. Is there a plan to make inaccessible features of your solution accessible, and, if so, what is the time frame? If so, please provide an accessibility roadmap. What plans are in development to address any exceptions and or remedies as part of roadmap?
14. Please provide the most current Voluntary Product Accessibility Template ("VPAT") you have for your solution.
15. Have the VPAT claims been verified?
16. Please share any accessibility reviews done either internally or externally.
17. Are you aware of Purdue's web accessibility standard, and the EIT Accessibility contract language included with all contracts? More information is available here: <http://www.purdue.edu/policies/information-technology/s5.html>
18. Please list a url that can be used to run digital compliance checker audit.

Notes:

If exceptions exist, the PNW Procurement office may add language to the contract to have the vendor note how accessibility concerns will be addressed conscientiously within the first year of the contract.