

ID	ATT	H1	Q1	H2	Q2	H3	Q3	H4	ID	Q4	H5	Q5	H6	Q6	H7	Q7	TERM	FINAL	TOTAL	GRADE	ID
4578	0.0	3.0	2.0	0.5	3.0	0.0	0.0	0.0	4578	0.0	0.0	0.0	0.0	0.0	0.0	5.0	13.5	0.0	13.5	F (DNW)	4578
4127	0.0	0.0	4.5	4.0	3.0	0.0	2.0	0.0	4127	1.0	0.0	0.0	0.0	0.0	0.0	5.0	19.5	0.0	19.5	F (DNW)	4127
8965	0.5	3.5	3.0	0.0	1.0	5.0	4.0	0.0	8965	0.0	0.0	0.0	0.0	0.0	0.0	5.0	22.0	0.0	22.0	F (DNW)	8965
4953	0.0	0.0	3.0	0.0	5.0	0.0	3.0	1.5	4953	3.0	0.5	4.0	0.0	0.0	0.0	5.0	25.0	0.0	25.0	F (DNW)	4953
1632	4.0	3.0	3.0	4.0	1.0	1.5	1.0	0.0	1632	2.0	0.5	1.0	0.0	2.5	1.5	5.0	30.0	4.0	34.0	F	1632
832	4.5	0.0	1.0	0.0	3.0	1.0	3.0	2.0	832	1.0	0.0	2.0	2.5	2.0	2.5	5.0	29.5	6.0	35.5	F	832
4175	4.5	3.0	0.0	0.0	3.0	2.5	3.0	1.0	4175	1.0	0.0	2.0	3.0	2.0	3.0	5.0	33.0	5.5	38.5	F	4175
7438	3.5	3.5	3.0	4.0	0.0	3.0	0.0	2.5	7438	2.0	1.5	1.0	0.0	2.5	1.5	5.0	33.0	8.0	41.0	D	7438
4896	2.5	3.5	0.0	4.5	0.0	0.0	3.0	3.0	4896	4.0	4.5	1.0	3.5	5.0	0.0	5.0	39.5	3.5	43.0	D	4896
8688	4.0	0.0	3.0	4.5	2.0	3.5	4.0	0.0	8688	0.5	3.5	1.0	4.0	2.5	2.0	5.0	39.5	8.0	47.5	D	8688
9575	4.0	2.5	3.0	4.5	2.0	2.0	4.0	2.0	9575	0.0	0.0	1.0	3.0	2.0	0.0	5.0	35.0	13	47.5	D	9575
1612	0.0	3.5	3.0	1.5	2.0	3.5	2.0	1.0	1612	3.5	2.0	0.0	3.5	3.0	2.5	5.0	36.0	12.5	48.5	D	1612
9860	4.5	0.0	1.0	3.5	1.0	4.5	2.0	4.0	9860	1.5	1.5	2.0	4.5	2.5	1.5	5.0	39.0	9.5	48.5	D	9860
2764	5.0	2.5	0.5	5.0	3.0	0.0	1.0	3.0	2764	0.5	1.0	2.5	4.0	2.0	5.0	5.0	40.0	10.0	50.0	D	2764
8834	3.0	4.5	5.0	3.5	4.0	0.0	2.0	0.0	8834	4.0	3.5	1.0	3.0	3.0	0.0	5.0	41.5	9.0	50.5	D	8834
1680	3.5	4.0	2.0	2.5	4.0	5.0	2.0	2.0	1680	4.5	3.0	2.0	1.0	5.0	0.0	5.0	45.5	7.5	53.0	C	1680
2631	4.5	3.5	3.0	4.5	1.0	1.5	1.0	4.5	2631	3.0	4.5	3.0	4.0	4.0	1.5	5.0	48.5	4.5	53.0	C	2631
5824	2.5	3.5	5.0	3.0	3.0	4.5	0.0	3.5	5824	0.0	4.0	4.0	0.0	5.0	1.0	5.0	44.0	9.0	53.0	C	5824
3323	5.0	3.5	3.0	4.0	4.0	4.0	2.0	1.5	3323	2.0	2.5	0.0	1.5	3.0	2.0	5.0	43.0	10.5	53.5	C	3323
3575	5.0	3.0	3.0	3.5	5.0	3.0	5.0	4.5	3575	1.0	2.5	3.0	0.0	0.0	1.0	5.0	44.5	9.0	53.5	C	3575
559	4.5	4.0	2.5	4.5	2.0	3.0	3.0	5.0	559	0.0	0.0	2.0	2.5	5.0	3.5	5.0	46.5	7.5	54.0	C	559
1458	5.0	3.0	4.0	3.0	3.0	4.5	1.0	2.0	1458	2.5	2.0	3.0	2.5	3.0	5.0	5.0	48.5	5.5	54.0	C	1458
3598	4.5	3.5	4.0	4.0	3.0	4.0	4.0	2.5	3598	0.0	0.5	0.0	3.5	2.5	0.0	5.0	41.0	13.0	54.0	C	3598
2542	5.0	1.5	2.0	4.5	4.5	4.0	2.0	3.5	2542	1.5	3.5	3.0	3.5	2.0	4.5	5.0	50.0	4.5	54.5	C	2542
7830	5.0	3.5	4.0	0.0	2.0	3.5	2.0	0.5	7830	3.5	2.0	3.0	3.0	3.0	2.5	5.0	42.5	12.0	54.5	C	7830
1285	4.0	4.0	2.0	0.0	1.0	2.5	3.0	2.5	1285	4.0	2.5	2.0	4.0	5.0	5.0	5.0	46.5	8.5	55.0	C	1285
3863	2.5	4.0	4.0	4.5	0.0	4.0	3.0	2.0	3863	1.0	4.0	5.0	2.5	5.0	3.5	5.0	50.0	5.0	55.0	C	3863
5788	5.0	2.0	3.0	4.0	1.0	4.5	4.0	4.0	5788	2.0	2.0	0.0	3.5	2.0	2.0	5.0	44.0	12.0	56.0	C	5788
5904	5.0	3.5	3.0	3.0	2.0	3.5	1.0	3.0	5904	3.5	2.0	1.0	3.0	3.0	2.5	5.0	44.0	12.0	56.0	C	5904
7353	4.0	4.0	3.0	4.0	3.5	2.5	3.0	4.5	7353	2.0	0.0	2.0	3.5	2.0	3.5	5.0	46.5	9.5	56.0	C	7353
3302	5.0	2.0	4.0	3.0	2.0	4.5	4.0	4.0	3302	2.0	2.0	2.0	5.0	3.0	3.0	5.0	50.5	6.0	56.5	C	3302
6575	2.0	3.5	5.0	2.0	2.0	3.5	3.0	1.5	6575	3.5	2.0	3.0	2.0	3.0	2.5	5.0	43.5	13.0	56.5	C	6575
8340	4.5	3.5	2.0	4.0	3.0	3.5	4.0	2.5	8340	2.0	3.5	1.0	2.0	2.0	3.5	5.0	46.0	10.5	56.5	C	8340
807	3.5	3.0	4.0	4.5	0.0	4.5	3.0	4.5	807	2.0	2.0	0.0	5.0	4.0	3.5	5.0	48.5	8.5	57.0	C	807
25	1.0	4.0	3.0	4.0	3.0	2.5	5.0	3.0	25	3.0	4.0	4.0	3.0	4.0	4.5	5.0	53.0	4.5	57.5	C	25
2352	5.0	3.5	2.0	3.5	1.0	4.0	4.0	3.5	2352	1.0	2.5	4.0	4.0	2.5	3.5	5.0	49.0	8.5	57.5	C	2352
958	2.0	2.5	3.0	3.0	4.0	4.0	4.0	5.0	958	3.0	3.0	1.0	1.5	3.5	2.0	5.0	46.5	12.5	59.0	C	958
1023	5.0	3.0	0.5	0.0	4.5	0.0	1.0	5.0	1023	4.0	4.0	3.5	4.5	3.0	5.0	5.0	48.0	11.0	59.0	C	1023
766	5.0	3.5	3.0	4.0	1.5	2.0	1.0	4.5	766	4.0	3.5	4.0	5.0	4.0	4.5	5.0	54.5	5.5	60.0	C	766
1820	5.0	1.5	2.0	4.0	2.0	2.5	1.0	4.5	1820	4.0	3.5	2.0	4.0	4.0	4.5	5.0	49.5	10.5	60.0	C	1820
3155	5.0	4.0	1.5	5.0	4.5	3.5	3.0	2.0	3155	2.0	1.5	3.0	3.0	3.5	4.5	5.0	51.0	9.0	60.0	C	3155
3149	4.5	3.0	5.0	3.0	3.0	4.5	3.0	0.0	3149	2.5	2.0	2.0	1.5	3.0	5.0	5.0	47.0	13.5	60.5	C	3149
2706	5.0	5.0	0.0	0.0	3.0	2.5	1.5	3.5	2706	2.0	2.5	3.0	4.5	5.0	4.0	5.0	46.5	14.5	61.0	B	2706
4974	5.0	2.5	3.0	2.5	1.0	4.5	2.0	1.5	4974	3.0	4.0	4.0	3.5	5.0	2.0	5.0	48.5	12.5	61.0	B	4974
5865	4.0	2.5	3.0	3.5	2.0	4.0	3.0	4.5	5865	2.0	3.5	4.0	4.0	5.0	3.0	5.0	53.0	8.0	61.0	B	5865
6004	5.0	3.5	0.0	4.0	3.0	4.5	4.0	2.0	6004	2.5	3.5	2.0	5.0	4.5	1.5	5.0	50.0	11.0	61.0	B	6004
8216	5.0	2.0	4.0	3.0	5.0	5.0	3.0	0.0	8216	3.5	3.0	3.0	0.0	4.0	4.5	5.0	50.0	11.0	61.0	B	8216
7788	5.0	4.0	2.0	4.5	4.5	2.5	2.0	4.5	7788	2.0	3.5	3.0	4.0	4.0	4.0	5.0	54.5	7.0	61.5	B	7788
8132	2.0	4.5	5.0	3.5	4.0	2.5	3.0	2.5	8132	3.0	3.0	4.0	1.0	4.0	2.5	5.0	49.5	12.0	61.5	B	8132
9727	5.0	2.0	1.5	4.5	4.5	4.0	2.0	4.5	9727	0.5	3.5	4.0	5.0	3.0	3.5	5.0	52.5	9.0	61.5	B	9727
1570	5.0	3.0	3.5	4.5	4.5	2.0	3.0	4.5	1570	3.0	3.5	2.5	5.0	2.0	4.5	5.0	55.5	6.5	62.0	B	1570
3963	5.0	4.0	0.0	5.0	1.0	5.0	3.0	5.0	3963	3.0	4.5	3.0	4.5	4.5	5.0	5.0	57.5	4.5	62.0	B	3963
7627	0.0	2.0	2.0	4.5	4.0	5.0	4.0	4.5	7627	0.0	3.5	1.0	5.0	5.0	4.0	5.0	49.5	12.5	62.0	B	7627
7706	4.0	0.0	0.0	4.5	5.0	4.5	1.0	4.5	7706	4.0	3.5	2.0	5.0	3.5	3.5	5.0	50.0	12.5	62.5	B	7706

7817	5.0	4.0	2.0	3.0	3.0	4.5	3.0	2.5	7817	4.5	4.0	1.0	1.0	5.0	4.5	5.0	52.0	10.5	62.5	B	7817
8510	5.0	3.0	3.0	3.5	3.0	4.5	4.0	4.0	8510	2.5	2.0	3.0	3.0	3.0	5.0	5.0	53.5	9.0	62.5	B	8510
4375	5.0	3.0	4.0	2.5	3.0	4.5	1.0	3.0	4375	2.5	2.0	2.0	2.5	3.0	5.0	5.0	48.0	15.0	63.0	B	4375
5439	5.0	3.0	5.0	3.5	1.0	3.0	1.0	4.0	5439	3.0	4.5	5.0	3.5	3.0	2.5	5.0	52.0	11.0	63.0	B	5439
9551	3.0	5.0	5.0	3.0	1.5	1.5	2.5	3.0	9551	4.5	4.5	4.0	4.0	3.0	5.0	5.0	54.5	8.5	63.0	B	9551
1176	4.5	3.5	4.0	3.5	1.0	4.0	1.0	5.0	1176	2.5	5.0	4.0	4.0	4.5	5.0	5.0	56.5	7.0	63.5	B	1176
5065	5.0	2.0	4.0	4.0	3.0	0.0	4.0	3.5	5065	3.0	2.5	4.0	5.0	4.0	3.5	5.0	52.5	11.0	63.5	B	5065
1007	5.0	2.0	4.0	5.0	4.0	2.0	1.0	3.0	1007	4.0	4.0	2.0	3.5	5.0	3.0	5.0	52.5	12.0	64.5	B	1007
9973	5.0	4.0	3.0	4.0	3.0	1.5	2.0	2.5	9973	4.0	5.0	2.5	3.0	2.5	4.5	5.0	51.5	13.0	64.5	B	9973
8878	5.0	3.5	2.5	4.5	3.0	3.0	3.0	3.5	8878	4.0	3.0	2.5	4.0	2.5	4.5	5.0	52.0	11.5	63.5	B	8878
3548	3.5	4.5	5.0	4.0	3.0	5.0	5.0	4.5	3548	3.0	5.0	5.0	3.5	5.0	0.0	5.0	61.0	4.5	65.5	B	3548
6396	5.0	3.0	4.0	4.0	4.0	4.0	3.0	3.5	6396	2.0	5.0	4.0	3.5	1.0	4.0	5.0	55.0	10.5	65.5	B	6396
7066	5.0	3.0	3.0	5.0	1.0	5.0	3.0	3.5	7066	3.0	2.5	2.0	4.5	3.5	4.0	5.0	53.0	12.5	65.5	B	7066
7632	5.0	4.0	5.0	4.5	2.0	3.0	2.0	2.5	7632	4.0	4.5	5.0	4.0	5.0	0.5	5.0	56.0	9.5	65.5	B	7632
2013	5.0	4.5	2.5	4.0	3.0	3.5	4.0	4.0	2013	4.0	3.5	3.5	4.5	5.0	3.5	5.0	59.5	6.5	66.0	B	2013
4452	5.0	3.5	4.0	4.0	3.0	4.5	3.0	4.0	4452	4.0	3.5	2.0	3.0	2.0	4.0	5.0	54.5	11.5	66.0	B	4452
5867	3.5	0.0	3.0	4.5	2.0	5.0	4.0	3.5	5867	0.5	2.5	2.0	5.0	5.0	4.5	5.0	50.0	16.0	66.0	B	5867
2433	5.0	3.0	4.0	4.5	3.5	3.5	2.0	4.5	2433	5.0	3.5	3.5	5.0	3.0	4.5	5.0	59.5	7.0	66.5	B	2433
3167	5.0	3.5	4.5	2.5	3.0	2.0	3.0	3.5	3167	3.0	3.5	3.0	3.5	4.0	3.5	5.0	52.5	14.0	66.5	B	3167
3386	4.0	4.0	4.0	3.0	3.0	4.5	2.0	2.5	3386	4.5	4.0	3.0	2.5	5.0	4.5	5.0	55.5	11.0	66.5	B	3386
9513	5.0	4.0	5.0	4.5	4.5	2.0	3.0	4.5	9513	4.5	2.5	3.5	2.5	4.0	4.5	5.0	59.0	8.0	67.0	B	9513
6750	5.0	4.0	3.0	5.0	3.0	5.0	4.0	4.5	6750	1.0	4.5	2.0	4.5	5.0	4.5	5.0	60.0	8.0	68.0	B	6750
3220	4.5	2.0	5.0	4.0	5.0	5.0	4.0	3.5	3220	3.5	3.0	3.0	2.0	4.0	4.5	5.0	58.0	10.5	68.5	B	3220
1858	5.0	3.5	1.5	4.5	2.5	4.0	3.0	4.5	1858	2.0	4.0	3.0	5.0	4.0	4.5	5.0	56.0	13.0	69.0	B	1858
5135	5.0	4.0	4.5	3.5	3.0	5.0	5.0	5.0	5135	2.0	3.0	3.5	4.5	3.0	4.5	5.0	60.5	8.5	69.0	B	5135
5665	5.0	4.5	4.0	4.5	2.0	4.0	3.0	5.0	5665	5.0	3.0	4.0	5.0	2.0	4.0	5.0	60.0	9.0	69.0	B	5665
7598	5.0	4.0	2.5	4.5	2.5	5.0	2.0	5.0	7598	5.0	4.5	2.0	5.0	3.0	5.0	5.0	60.0	10.0	70.0	B	7598
7722	5.0	2.0	4.0	2.5	5.0	5.0	4.0	4.0	7722	3.5	3.0	3.0	3.5	4.0	4.5	5.0	58.0	12.0	70.0	B	7722
260	5.0	4.5	4.0	3.5	4.5	3.0	3.0	4.5	260	5.0	3.0	3.0	4.0	4.0	4.0	5.0	60.0	10.5	70.5	B	260
159	4.5	4.0	4.0	3.5	4.0	5.0	3.0	2.5	159	4.5	3.0	2.0	5.0	5.0	4.0	5.0	59.0	12.0	71.0	B	159
250	5.0	2.5	1.0	5.0	5.0	4.5	2.5	4.5	250	5.0	3.5	3.0	4.5	4.0	5.0	5.0	60.0	11.0	71.0	B	250
9518	5.0	5.0	5.0	5.0	1.0	4.5	2.0	4.5	9518	2.5	4.0	2.0	5.0	4.0	5.0	5.0	59.5	11.5	71.0	B	9518
1588	5.0	4.0	4.5	4.5	2.0	5.0	3.0	5.0	1588	2.0	4.0	4.0	5.0	5.0	4.5	5.0	62.5	9.0	71.5	B	1588
6488	5.0	4.5	5.0	4.0	1.0	4.5	4.0	3.5	6488	4.0	3.5	1.0	5.0	2.5	4.5	5.0	57.0	14.5	71.5	B	6488
9439	5.0	2.5	4.0	4.5	2.0	5.0	4.0	4.5	9439	2.0	3.0	2.0	5.0	5.0	3.0	5.0	56.5	15.0	71.5	B	9439
1062	2.5	3.0	0.0	5.0	3.0	4.5	4.0	4.5	1062	3.0	4.0	3.0	5.0	5.0	5.0	5.0	56.5	15.5	72.0	B	1062
2427	5.0	3.5	5.0	4.0	2.0	0.0	2.0	4.5	2427	4.0	3.5	3.0	5.0	5.0	5.0	5.0	56.5	16.0	72.5	B	2427
1205	2.5	5.0	4.0	5.0	4.0	5.0	4.0	4.0	1205	2.0	5.0	5.0	4.0	3.0	3.0	5.0	60.5	13.5	74.0	A	1205
1318	5.0	3.0	5.0	4.5	4.0	5.0	4.0	5.0	1318	3.0	3.0	5.0	3.0	5.0	1.5	5.0	61.0	13.0	74.0	A	1318
4399	5.0	4.0	5.0	3.5	5.0	4.0	2.0	3.0	4399	4.0	5.0	3.0	5.0	3.0	3.5	5.0	60.0	14.0	74.0	A	4399
6845	5.0	4.5	5.0	4.5	4.0	5.0	3.0	3.5	6845	5.0	4.5	4.0	3.5	5.0	2.0	5.0	63.5	11.0	74.5	A	6845
9345	5.0	5.0	2.5	4.5	4.5	4.5	3.0	3.5	9345	3.0	4.0	4.5	4.5	4.0	5.0	5.0	62.5	12.0	74.5	A	9345
5712	5.0	3.5	4.0	5.0	3.0	4.0	4.0	2.5	5712	4.0	5.0	5.0	4.0	4.0	1.5	5.0	59.5	15.5	75.0	A	5712
1834	4.5	4.0	1.0	3.5	4.0	5.0	3.0	4.0	1834	5.0	4.5	3.5	4.5	5.0	5.0	5.0	62.0	13.0	75.0	A	1834
4002	5.0	4.0	2.0	3.5	3.0	4.5	4.0	4.5	4002	4.5	4.0	2.0	3.5	5.0	4.5	5.0	59.0	17.0	76.0	A	4002
3010	4.0	4.5	5.0	4.5	1.0	5.0	4.0	4.5	3010	4.0	4.5	2.0	5.0	4.5	5.0	5.0	62.5	15.0	77.5	A	3010
7090	5.0	5.0	5.0	4.5	5.0	4.0	0.0	4.5	7090	5.0	5.0	5.0	5.0	5.0	4.0	5.0	67.0	10.5	77.5	A	7090
9846	5.0	4.0	3.0	3.5	4.0	5.0	2.0	2.5	9846	4.5	3.0	3.0	5.0	5.0	4.0	5.0	58.5	19.0	77.5	A	9846
6772	5.0	5.0	4.0	4.5	1.0	4.5	4.0	5.0	6772	3.0	5.0	4.0	5.0	4.0	5.0	5.0	64.0	14.0	78.0	A	6772
9345	5.0	5.0	3.0	5.0	5.0	3.5	5.0	5.0	9345	5.0	4.5	5.0	4.5	3.0	4.5	5.0	68.0	10.0	78.0	A	9345
355	5.0	2.0	5.0	4.0	5.0	5.0	4.0	4.5	355	3.5	3.0	2.0	5.0	4.0	4.5	5.0	61.5	18.0	79.5	A	355
7750	5.0	4.5	5.0	4.5	4.0	4.5	5.0	4.0	7750	3.0	4.5	4.0	4.0	3.0	4.0	5.0	64.0	16.0	80.0	A	7750
4837	5.0	5.0	5.0	4.5	4.0	5.0	3.5	3.5	4837	5.0	4.5	4.5	5.0	5.0	4.5	5.0	69.0	14.0	83.0	A	4837
4854	4.0	5.0	5.0	5.0	4.0	4.5	4.0	3.5	4854	5.0	4.5	5.0	3.5	5.0	5.0	5.0	68.0	16.0	84.0	A	4854
9272	5.0	5.0	4.5	5.0	2.5	4.0	5.0	3.5	9272	5.0	4.5	3.5	4.5	4.0	5.0	5.0	66.0	18.5	84.5	A	9272
2762	4.0	4.5	5.0	4.0	5.0	5.0	4.0	5.0	2762	5.0	5.0	5.0	5.0	5.0	4.5	5.0	71.0	15.0	86.0	A	2762
7650	5.0	3.0	3.0	5.0	5.0	5.0	4.0	4.5	7650	4.0	4.5	5.0	5.0	4.5	5.0	5.0	67.5	18.5	86.0	A	7650

3677	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	3677	5.0	5.0	3.0	0.0	0.0	5.0	5.0	63.0	24.0	87.0	A	3677
112	5.0	4.5	3.0	5.0	5.0	5.0	5.0	5.0	5.0	112	5.0	4.0	5.0	5.0	4.0	5.0	5.0	70.5	17.0	87.5	A	112
8618	5.0	4.5	5.0	5.0	5.0	5.0	4.0	5.0	5.0	8618	3.0	5.0	3.0	5.0	5.0	5.0	5.0	69.5	19.5	89.0	A	8618
A: 85th	5.0	4.5	5.0	5.0	4.5	5.0	4.0	4.5	4.5	A: 85th	4.5	4.5	4.0	5.0	5.0	5.0	5.0	61.5	15.0	75.0		A: 85th
B: 50th	5.0	3.5	3.0	4.0	3.0	4.0	3.0	3.5	3.5	B: 50th	3.0	3.5	3.0	4.0	4.0	4.0	5.0	52.8	11.0	63.0		B: 50th
C: 20th	4.0	2.5	2.0	3.0	2.0	2.5	2.0	2.5	2.5	C: 20th	2.0	2.0	2.0	2.5	2.5	2.0	5.0	45.1	7.5	54.3		C: 20th