

ID	AT	H1	Q1	H2	Q2	H3	Q3	H4	ID	Q4	H5	Q5	H6	Q6	H7	Q7	TM	F	TT	G	ID
61665	0.0	3.5	0.0	4.5	1.0	0.0	2.0	0.0	61665	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.0	0.0	11.0	F	61665
46272	4.0	1.0	2.0	2.0	0.0	1.5	1.0	1.0	46272	0.0	1.5	1.0	0.0	3.0	0.0	5.0	23.0	5.0	28.0	F	46272
41115	3.0	0.0	0.0	3.5	0.0	4.5	0.0	0.0	41115	0.0	1.5	0.0	3.0	0.0	0.0	5.0	20.5	11.0	31.5	F	41115
45441	5.0	4.5	0.0	3.5	1.0	4.0	0.0	3.0	45441	0.0	1.5	0.0	4.0	3.0	1.5	5.0	36.0	5.5	41.5	D	45441
49890	0.0	5.0	3.0	3.5	0.0	3.0	1.0	0.0	49890	4.0	3.0	3.0	1.0	0.0	0.0	5.0	31.5	12.0	43.5	D	49890
50358	3.5	0.0	2.0	1.5	0.0	3.5	3.0	4.0	50358	4.0	0.0	2.0	2.0	0.0	0.0	5.0	30.5	13.0	43.5	D	50358
40000	4.5	3.0	2.0	2.0	4.0	4.0	4.0	1.5	40000	1.0	2.0	0.0	3.5	3.0	0.0	5.0	39.5	4.0	43.5	D	40000
45719	3.5	3.5	3.5	1.5	4.0	2.5	0.0	3.0	45719	4.0	0.0	1.0	2.0	3.0	0.0	5.0	36.5	8.0	44.5	D	45719
53458	4.0	5.0	2.0	5.0	1.0	4.0	0.0	4.0	53458	0.0	2.0	1.0	4.0	2.0	2.0	5.0	41.0	4.0	45.0	D	53458
39231	5.0	3.5	2.0	4.5	1.0	0.0	2.0	2.5	39231	1.0	2.0	2.0	1.0	1.0	2.0	5.0	34.5	10.5	45.0	D	39231
55951	5.0	4.0	2.0	4.0	0.0	2.0	2.0	2.0	55951	0.0	1.0	0.0	3.0	3.0	3.5	5.0	36.5	9.5	46.0	D	55951
49869	3.5	1.0	0.0	4.5	0.0	0.0	2.0	1.0	49869	2.0	5.0	4.0	1.0	3.0	1.5	5.0	33.5	14.0	47.5	D	49869
53503	4.5	3.0	3.0	4.5	0.0	3.0	0.0	4.5	53503	1.0	5.0	0.0	3.0	1.0	2.0	5.0	39.5	9.0	48.5	D	53503
61982	1.5	3.5	2.0	4.5	3.0	3.5	1.0	4.0	61982	0.0	4.5	2.0	3.0	0.0	3.0	5.0	40.5	8.0	48.5	D	61982
60185	2.0	3.5	4.0	4.5	4.0	2.5	2.0	3.0	60185	4.0	0.0	2.0	0.0	3.0	0.0	5.0	39.5	10.0	49.5	D	60185
44512	3.0	2.5	1.0	5.0	2.0	3.0	1.0	4.0	44512	0.0	0.5	3.0	5.0	0.0	3.0	5.0	38.0	13.0	51.0	C	44512
37753	4.5	0.0	2.0	3.5	0.0	3.0	3.0	4.5	37753	4.0	5.0	2.0	2.0	1.0	4.0	5.0	43.5	8.0	51.5	C	37753
42618	4.0	4.0	3.0	5.0	3.0	5.0	2.0	5.0	42618	1.0	4.5	4.0	0.0	2.0	2.5	5.0	50.0	2.0	52.0	C	42618
55806	3.0	4.0	1.0	4.0	2.0	2.5	0.0	4.5	55806	3.0	3.5	0.0	4.5	3.0	1.0	5.0	41.0	11.0	52.0	C	55806
49497	5.0	4.5	1.0	3.5	0.0	2.5	1.0	4.5	49497	3.0	2.0	1.0	4.0	3.0	3.0	5.0	43.0	9.0	52.0	C	49497
63447	5.0	3.0	1.0	3.0	0.0	3.0	3.0	3.5	63447	4.0	1.0	2.0	4.5	3.0	0.0	5.0	41.0	11.0	52.0	C	63447
55773	5.0	4.5	3.0	4.5	0.0	4.5	2.0	3.0	55773	3.0	1.5	1.0	2.5	1.0	2.5	5.0	43.0	9.0	52.0	C	55773
53756	3.5	2.5	2.0	4.0	3.0	3.5	2.0	5.0	53756	1.0	2.0	1.0	4.0	4.0	2.0	5.0	44.5	8.0	52.5	C	53756
60220	0.5	3.5	3.5	3.0	4.0	2.5	0.0	2.5	60220	4.0	0.0	3.0	3.0	3.0	5.0	5.0	42.5	10.5	53.0	C	60220
41036	5.0	3.5	1.0	4.5	4.0	2.0	1.0	3.5	41036	3.0	2.0	3.0	3.5	3.0	1.0	5.0	45.0	8.0	53.0	C	41036
55902	3.0	4.5	3.0	4.0	0.0	0.0	3.0	4.0	55902	2.0	4.0	4.0	4.0	1.0	3.5	5.0	45.0	8.0	53.0	C	55902
41069	4.5	4.0	2.0	4.0	4.0	0.0	2.0	3.5	41069	4.0	3.5	4.0	5.0	1.0	3.0	5.0	49.5	4.0	53.5	C	41069
47461	1.0	0.0	0.0	3.0	4.0	3.0	4.0	4.5	47461	1.0	1.5	3.0	4.5	3.0	4.0	5.0	41.5	12.0	53.5	C	47461
53898	5.0	3.5	0.0	4.5	0.0	1.0	1.0	4.5	53898	4.0	3.5	2.0	4.0	3.0	2.0	5.0	43.0	11.0	54.0	C	53898
54089	5.0	3.5	2.0	2.0	3.0	2.5	2.0	3.5	54089	2.0	1.5	1.0	4.0	3.0	2.0	5.0	42.0	12.0	54.0	C	54089
57422	5.0	5.0	1.0	4.0	2.0	3.5	2.0	3.0	57422	0.0	2.5	1.0	5.0	3.0	5.0	5.0	47.0	7.0	54.0	C	57422
48125	3.5	2.0	1.0	5.0	1.0	3.0	2.0	5.0	48125	2.0	5.0	0.0	3.5	3.0	4.5	5.0	45.5	9.0	54.5	C	48125
51594	5.0	0.0	2.0	3.5	1.0	4.5	3.0	4.5	51594	2.0	3.5	1.0	4.5	1.0	2.0	5.0	42.5	12.0	54.5	C	51594
10000	5.0	0.0	0.0	5.0	3.0	4.0	1.0	3.0	10000	4.0	2.5	0.0	5.0	0.0	4.0	5.0	41.5	13.0	54.5	C	10000
54089	5.0	3.5	4.0	4.0	3.0	4.5	3.0	3.0	54089	4.0	2.0	1.0	4.0	3.5	2.5	5.0	52.0	3.5	55.5	C	54089
60235	3.0	5.0	1.5	2.5	4.0	4.0	0.0	2.0	60235	2.0	4.5	1.0	1.5	5.0	5.0	5.0	46.0	10.0	56.0	C	60235
58841	5.0	4.5	1.0	4.5	1.0	0.0	1.0	4.0	58841	2.0	4.0	4.0	1.5	2.0	4.5	5.0	44.0	12.0	56.0	C	58841
51987	5.0	3.5	0.0	3.5	2.0	4.5	3.0	4.5	51987	2.0	3.0	1.0	3.0	4.0	4.5	5.0	48.5	7.5	56.0	C	51987
45466	5.0	4.5	1.0	4.5	3.0	5.0	3.0	4.0	45466	3.0	2.5	2.0	4.0	1.0	2.0	5.0	49.5	7.0	56.5	C	45466
61046	1.0	0.0	3.0	5.0	0.0	5.0	2.0	5.0	61046	3.0	0.0	4.0	5.0	2.0	5.0	5.0	45.0	12.0	57.0	C	61046
50396	5.0	2.5	4.0	3.5	1.0	2.0	1.0	5.0	50396	2.0	4.0	2.0	3.5	0.0	2.5	5.0	43.0	14.0	57.0	C	50396
38964	5.0	2.0	0.0	3.5	3.0	5.0	2.0	4.0	38964	2.0	2.5	0.0	5.0	3.0	4.0	5.0	46.0	11.0	57.0	C	38964
55910	5.0	3.0	1.0	3.5	1.0	3.0	1.0	2.5	55910	2.0	3.5	1.0	5.0	3.0	4.0	5.0	43.5	14.0	57.5	C	55910
52827	5.0	4.0	5.0	3.5	3.0	3.5	3.0	3.0	52827	3.5	1.0	1.0	3.5	4.0	3.0	5.0	51.0	7.0	58.0	C	52827
49399	4.5	4.5	3.0	4.5	2.0	4.0	1.0	4.0	49399	1.0	4.0	1.0	5.0	4.0	4.0	5.0	51.5	7.0	58.5	C	49399
57853	4.0	2.0	0.0	1.5	2.0	5.0	3.0	1.0	57853	1.0	4.0	4.0	2.0	4.0	3.5	5.0	42.0	17.0	59.0	C	57853
43634	5.0	4.5	4.0	4.0	2.0	4.0	1.0	5.0	43634	1.0	4.0	2.0	4.0	2.0	2.0	5.0	49.5	9.5	59.0	C	43634
42253	5.0	4.5	3.0	4.5	4.0	4.5	1.0	4.0	42253	3.0	2.0	0.0	4.0	4.0	2.5	5.0	51.0	8.0	59.0	C	42253
58253	4.5	3.5	1.0	4.0	1.0	3.5	5.0	3.0	58253	2.0	1.5	3.0	4.5	4.0	5.0	5.0	50.5	9.0	59.5	C	58253
48539	5.0	5.0	1.0	4.0	1.0	4.0	2.0	4.5	48539	1.0	5.0	3.0	4.0	3.0	3.0	5.0	50.5	9.0	59.5	C	48539
54290	5.0	3.5	1.0	4.0	0.0	4.0	3.0	4.5	54290	2.0	0.0	3.0	4.5	5.0	5.0	5.0	49.5	10.0	59.5	C	54290
50327	4.0	3.5	2.0	3.0	3.0	4.0	3.0	5.0	50327	3.0	4.0	2.0	3.5	4.0	3.0	5.0	52.0	8.0	60.0	B	50327
58245	5.0	4.0	1.0	4.0	0.0	4.0	1.0	5.0	58245	3.0	4.0	5.0	3.5	5.0	2.5	5.0	52.0	8.5	60.5	B	58245
62771	5.0	5.0	3.0	3.5	2.0	4.5	0.0	3.5	62771	1.0	2.0	0.0	5.0	3.0	4.0	5.0	46.5	14.0	60.5	B	62771

63137	4.5	4.0	2.5	4.5	1.0	3.5	0.0	2.5	63137	3.0	4.5	2.0	3.5	3.0	5.0	5.0	48.5	12.5	61.0	B	63137
47545	4.5	4.5	2.0	3.5	2.0	4.0	1.0	5.0	47545	0.0	5.0	3.0	4.5	3.0	2.0	5.0	49.0	12.0	61.0	B	47545
65755	5.0	4.5	0.0	1.5	0.0	4.5	1.0	5.0	65755	2.0	2.5	5.0	5.0	5.0	5.0	51.0	10.0	61.0	B	65755	
41065	5.0	4.0	1.0	4.5	1.0	4.0	4.0	4.5	41065	1.0	4.0	3.0	5.0	4.0	3.0	5.0	53.0	8.0	61.0	B	41065
39990	5.0	3.5	1.0	5.0	0.0	3.0	3.0	5.0	39990	3.0	4.5	3.0	5.0	3.0	3.0	5.0	52.0	9.5	61.5	B	39990
56833	5.0	4.0	3.0	4.5	2.0	4.0	3.0	0.0	56833	2.0	5.0	2.0	4.5	4.0	3.5	5.0	51.5	10.0	61.5	B	56833
53273	4.0	4.5	3.0	3.5	4.0	4.0	0.0	4.0	53273	3.0	3.5	3.0	0.0	5.0	4.0	5.0	50.5	11.0	61.5	B	53273
51943	5.0	3.0	4.0	3.5	2.0	4.5	2.0	4.5	51943	1.0	3.5	3.0	4.0	4.0	3.0	5.0	52.0	9.5	61.5	B	51943
64470	5.0	4.0	1.5	4.5	1.0	3.5	2.0	3.0	64470	3.0	4.5	3.0	3.0	3.0	5.0	5.0	51.0	11.0	62.0	B	64470
56448	5.0	4.5	2.0	4.0	1.0	3.5	3.0	2.0	56448	3.0	3.0	5.0	4.5	4.0	3.5	5.0	53.0	9.0	62.0	B	56448
63328	5.0	1.0	1.0	4.0	3.0	2.5	2.0	1.5	63328	3.0	3.0	1.0	4.5	3.0	4.5	5.0	44.0	18.0	62.0	B	63328
49678	5.0	5.0	0.0	5.0	5.0	4.0	2.0	5.0	49678	0.0	0.0	4.0	4.0	3.0	3.5	5.0	50.5	12.0	62.5	B	49678
50381	5.0	4.5	5.0	4.5	1.0	5.0	1.0	5.0	50381	4.0	4.5	1.0	4.5	0.0	2.0	5.0	52.0	11.0	63.0	B	50381
53804	5.0	3.0	3.0	5.0	2.0	4.0	3.0	4.5	53804	2.0	3.5	2.0	5.0	0.0	3.0	5.0	50.0	13.0	63.0	B	53804
64319	5.0	3.5	4.5	4.0	4.0	2.5	3.0	3.0	64319	4.0	0.0	2.0	2.0	3.0	5.0	5.0	50.5	13.0	63.5	B	64319
56076	5.0	3.5	2.0	4.5	1.0	3.5	1.0	3.5	56076	3.0	4.5	2.0	2.5	3.0	5.0	5.0	49.0	14.5	63.5	B	56076
54925	5.0	4.0	3.0	2.5	1.0	4.0	3.0	3.0	54925	0.0	3.5	2.0	4.0	3.0	3.0	5.0	46.0	17.5	63.5	B	54925
58509	4.5	5.0	3.0	4.5	0.0	1.0	0.0	5.0	58509	3.0	4.0	0.0	4.0	4.0	3.0	5.0	46.0	18.0	64.0	B	58509
54769	5.0	4.5	4.0	4.0	0.0	3.0	2.0	5.0	54769	4.0	4.5	2.0	3.0	3.0	3.0	5.0	52.0	12.5	64.5	B	54769
43302	4.5	5.0	5.0	4.5	5.0	3.0	4.0	5.0	43302	1.0	2.5	2.0	4.5	3.0	4.0	5.0	58.0	8.0	66.0	B	43302
42104	5.0	4.0	3.5	4.5	1.0	3.5	2.0	3.0	42104	3.0	4.5	4.0	4.0	3.0	5.0	5.0	55.0	11.5	66.5	B	42104
48724	4.0	4.5	5.0	4.5	1.0	4.0	1.0	4.5	48724	4.0	4.5	5.0	3.0	4.0	3.5	5.0	57.5	10.0	67.5	B	48724
47212	5.0	4.0	0.0	3.5	3.0	5.0	4.0	4.5	47212	1.0	2.0	4.0	3.5	5.0	5.0	5.0	54.5	13.0	67.5	B	47212
20000	5.0	5.0	4.0	4.5	4.0	3.0	3.0	4.5	20000	3.0	3.5	2.0	4.5	3.0	3.0	5.0	57.0	11.0	68.0	B	20000
53804	4.5	4.0	3.0	3.5	2.0	4.0	5.0	4.0	53804	2.0	4.0	4.0	4.5	4.0	5.0	5.0	58.5	10.0	68.5	B	53804
53395	4.5	5.0	3.5	2.5	4.0	4.0	1.0	4.0	53395	2.0	4.5	5.0	2.0	5.0	5.0	5.0	57.0	13.0	70.0	B	53395
59239	5.0	4.5	5.0	5.0	4.0	5.0	4.0	5.0	59239	4.0	5.0	2.0	4.5	4.0	2.5	5.0	64.5	6.0	70.5	B	59239
46985	4.5	5.0	3.0	5.0	3.0	5.0	5.0	5.0	46985	2.0	4.5	4.0	4.0	3.0	4.5	5.0	62.5	8.0	70.5	B	46985
52376	4.0	5.0	3.5	4.0	4.0	4.0	3.0	4.5	52376	2.0	4.5	3.0	5.0	5.0	5.0	5.0	61.5	10.5	72.0	B	52376
60354	5.0	5.0	3.0	5.0	3.0	4.0	4.0	1.5	60354	5.0	4.5	2.0	3.0	4.0	3.5	5.0	57.5	15.0	72.5	B	60354
54701	5.0	4.0	3.0	5.0	3.0	5.0	4.0	5.0	54701	2.0	3.0	4.0	5.0	4.0	5.0	5.0	62.0	10.5	72.5	B	54701
56125	5.0	4.5	5.0	4.5	2.0	5.0	3.0	5.0	56125	5.0	5.0	3.0	4.5	3.0	3.5	5.0	63.0	10.0	73.0	B	56125
57147	5.0	3.5	4.0	4.5	3.0	4.0	3.0	5.0	57147	4.0	5.0	4.0	5.0	5.0	4.0	5.0	64.0	10.0	74.0	B	57147
52782	5.0	5.0	2.0	5.0	2.0	5.0	2.0	4.5	52782	5.0	5.0	3.0	5.0	4.0	5.0	5.0	62.5	12.0	74.5	B	52782
45897	5.0	5.0	5.0	4.0	4.0	5.0	3.0	5.0	45897	3.0	5.0	1.0	5.0	5.0	4.5	5.0	64.5	11.0	75.5	B	45897
55814	5.0	5.0	5.0	5.0	3.0	4.0	4.0	5.0	55814	5.0	4.5	3.0	3.5	1.0	4.0	5.0	62.0	14.0	76.0	B	55814
61406	5.0	5.0	4.0	5.0	5.0	5.0	3.0	4.5	61406	2.0	3.5	2.0	5.0	5.0	5.0	5.0	64.0	12.0	76.0	B	61406
65251	5.0	5.0	4.0	4.0	3.0	5.0	2.0	2.5	65251	5.0	4.0	4.0	3.0	5.0	3.0	5.0	59.5	18.0	77.5	A	65251
57959	5.0	5.0	5.0	0.0	4.0	5.0	3.0	5.0	57959	3.0	4.5	5.0	4.5	3.0	4.5	5.0	61.5	16.5	78.0	A	57959
50169	5.0	5.0	5.0	5.0	4.0	5.0	0.0	5.0	50169	5.0	5.0	3.0	5.0	4.0	5.0	5.0	66.0	12.0	78.0	A	50169
60833	5.0	4.5	1.0	5.0	5.0	4.5	5.0	5.0	60833	3.0	5.0	4.0	5.0	5.0	5.0	5.0	67.0	11.0	78.0	A	60833
49486	5.0	4.5	4.0	5.0	5.0	4.0	5.0	5.0	49486	2.0	3.5	4.0	4.5	5.0	5.0	5.0	66.5	12.0	78.5	A	49486
65007	5.0	3.5	3.0	4.5	5.0	5.0	4.0	5.0	65007	4.0	4.0	2.0	5.0	4.0	5.0	5.0	64.0	14.5	78.5	A	65007
64882	5.0	5.0	5.0	4.0	4.0	4.0	4.0	4.5	64882	2.0	4.5	5.0	3.5	5.0	5.0	5.0	65.5	13.5	79.0	A	64882
54983	5.0	5.0	5.0	5.0	2.0	5.0	4.0	5.0	54983	5.0	5.0	3.0	5.0	3.0	4.5	5.0	66.5	13.5	80.0	A	54983
55948	5.0	5.0	5.0	5.0	3.0	5.0	4.0	4.0	55948	4.0	4.0	5.0	5.0	4.0	4.0	5.0	67.0	13.0	80.0	A	55948
39323	5.0	4.5	3.0	5.0	3.0	5.0	5.0	4.5	39323	4.0	4.5	3.0	5.0	5.0	5.0	5.0	66.5	14.0	80.5	A	39323
57886	5.0	5.0	5.0	5.0	2.0	5.0	3.0	5.0	57886	5.0	5.0	4.0	4.5	5.0	4.5	5.0	68.0	13.0	81.0	A	57886
61542	5.0	5.0	4.0	5.0	5.0	5.0	3.0	5.0	61542	2.0	5.0	2.0	5.0	5.0	5.0	5.0	66.0	16.0	82.0	A	61542
63319	5.0	5.0	3.0	5.0	5.0	4.0	5.0	5.0	63319	2.0	5.0	4.0	5.0	5.0	5.0	5.0	68.0	14.0	82.0	A	63319
52044	5.0	4.5	5.0	5.0	4.0	5.0	2.0	5.0	52044	5.0	5.0	3.0	5.0	4.0	5.0	5.0	67.5	15.0	82.5	A	52044
48971	5.0	5.0	2.0	5.0	4.0	5.0	3.0	5.0	48971	3.0	5.0	5.0	4.5	5.0	5.0	5.0	66.5	16.0	82.5	A	48971
49398	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0	49398	5.0	5.0	2.0	4.5	4.0	3.0	5.0	65.5	18.0	83.5	A	49398
52928	5.0	5.0	5.0	5.0	4.0	5.0	4.0	5.0	52928	4.0	4.0	4.0	5.0	5.0	5.0	5.0	70.0	14.0	84.0	A	52928
62900	5.0	5.0	3.0	5.0	3.0	5.0	5.0	4.5	62900	3.0	4.0	3.0	5.0	5.0	5.0	5.0	65.5	19.0	84.5	A	62900
41606	5.0	5.0	5.0	5.0	4.0	5.0	5.0	3.5	41606	5.0	5.0	4.0	4.0	4.0	4.5	5.0	69.0	17.0	86.0	A	41606
55948	5.0	5.0	5.0	5.0	4.0	5.0	4.0	4.5	55948	5.0	4.0	3.0	5.0	5.0	5.0	5.0	69.5	19.0	88.5	A	55948

62583	5.0	5.0	3.0	5.0	5.0	5.0	5.0	5.0	62583	2.0	5.0	3.0	5.0	5.0	5.0	5.0	68.0	22.0	90.0	A	62583
	5.0	5.0	5.0	5.0	4.0	5.0	4.0	5.0		4.0	5.0	4.0	5.0	5.0	5.0	5.0	65.5	14.2	78.2		A: 85th
	5.0	4.3	3.0	4.5	2.0	4.0	2.0	4.5		3.0	4.0	2.0	4.0	3.0	3.5	5.0	50.5	11.0	61.0		B: 50th
	4.0	3.5	1.0	3.5	1.0	3.0	1.0	3.0		1.0	2.0	1.0	3.0	2.0	2.0	5.0	42.5	8.0	52.6		C: 20th