

ID	AT	H1	Q1	H2	Q2	H3	Q3	H4	ID	Q4	H5	Q5	H6	Q6	H7	TM	F	TT	G	ID
379	4.0	3.0	0.0	4.5	0.0	0.0	1.0	1.5	379	0.0	1.5	0.0	0.0	2.0	3.0	20.5	8.0	28.5	D	379
509	5.0	0.0	2.0	0.0	0.0	0.0	2.0	0.0	509	0.0	0.0	0.0	5.0	4.0	4.5	22.5	6.5	29.0	D	509
320	5.0	0.0	4.0	0.0	3.0	0.0	3.0	3.0	320	0.0	2.0	2.0	2.0	0.0	0.5	24.5	5.0	29.5	D	320
319	3.5	0.0	0.0	4.5	3.0	3.0	1.0	1.5	319	2.0	0.0	1.0	0.0	0.0	5.0	24.5	7.5	32.0	D	319
500	2.0	4.0	0.0	4.0	0.0	2.0	3.0	3.0	500	0.0	0.0	0.0	4.0	2.5	5.0	29.5	4.0	33.5	D	500
382	2.5	0.0	4.0	0.0	4.0	0.0	1.0	0.0	382	3.0	0.0	0.0	5.0	5.0	0.0	24.5	10.5	35.0	D	382
373	5.0	4.0	1.0	4.0	1.0	1.5	1.0	0.0	373	0.0	2.0	2.0	2.0	3.0	2.0	28.5	7.5	36.0	C	373
395	4.0	4.5	2.0	2.5	0.0	1.5	0.0	0.0	395	2.0	2.0	1.0	1.5	2.0	5.0	28.0	8.0	36.0	C	395
406	5.0	4.5	2.0	0.0	0.0	3.5	1.0	2.5	406	1.0	1.5	1.0	3.0	4.0	3.0	32.0	4.5	36.5	C	406
511	3.0	0.0	0.0	0.0	2.0	0.5	3.0	1.5	511	2.0	4.5	2.0	4.5	1.0	0.0	24.0	14.0	38.0	C	511
510	5.0	0.0	0.0	5.0	0.0	2.0	0.0	0.0	510	3.0	3.5	0.0	0.0	4.0	5.0	27.5	10.5	38.0	C	510
388	5.0	3.5	3.0	0.0	2.0	0.5	3.0	3.5	388	0.0	3.0	0.0	4.5	3.0	2.5	33.5	6.0	39.5	C	388
501	3.5	3.0	3.0	4.5	0.0	0.0	2.0	0.0	501	0.0	3.5	4.0	3.5	3.0	3.0	33.0	7.5	40.5	C	501
325	5.0	1.5	3.0	5.0	2.0	2.0	0.0	0.0	325	1.0	3.0	1.0	3.0	0.0	2.5	29.0	11.5	40.5	C	325
301	4.5	4.5	1.0	0.0	0.0	1.0	0.0	1.5	301	0.0	5.0	2.0	5.0	2.0	5.0	31.5	9.5	41.0	C	301
367	4.0	3.0	0.0	0.0	5.0	1.0	3.0	0.0	367	4.0	4.0	1.0	0.0	4.0	4.5	33.5	9.0	42.5	C	367
377	5.0	2.0	5.0	4.5	2.0	3.5	0.0	4.0	377	3.0	3.5	1.0	0.0	1.0	3.0	37.5	5.0	42.5	C	377
315	4.5	0.0	5.0	4.5	0.0	4.0	2.0	3.5	315	0.0	1.5	4.0	1.5	4.0	0.5	35.0	8.5	43.5	C	315
348	3.5	3.0	2.0	0.0	3.0	2.5	3.0	0.0	348	2.0	1.0	4.0	5.0	2.0	4.0	35.0	9.0	44.0	C	348
339	5.0	0.0	3.0	1.0	3.0	3.5	4.0	4.5	339	0.0	0.0	1.0	4.0	5.0	2.0	36.0	9.0	45.0	C	339
503	4.5	2.5	1.0	4.5	3.0	5.0	1.0	3.0	503	2.0	3.0	2.0	3.5	2.0	1.0	38.0	7.5	45.5	C	503
324	3.5	0.0	0.0	5.0	2.0	0.0	3.0	4.5	324	3.0	3.5	1.0	3.5	4.0	2.5	35.5	10.0	45.5	C	324
316	5.0	0.0	0.0	5.0	2.0	5.0	2.0	1.5	316	3.0	4.0	0.0	4.0	3.0	0.0	34.5	11.5	46.0	C	316
329	0.0	4.5	3.0	4.5	2.0	5.0	3.0	3.5	329	3.0	2.5	0.0	4.0	0.0	0.0	35.0	11.5	46.5	C	329
358	4.0	3.0	2.0	5.0	0.0	1.0	3.0	3.5	358	1.0	5.0	2.0	5.0	0.0	4.0	38.5	8.0	46.5	C	358
380	3.5	4.0	4.0	4.5	3.0	4.0	0.0	4.5	380	2.0	0.0	0.0	4.5	2.0	1.0	37.0	9.5	46.5	C	380
404	4.5	3.5	2.0	4.5	1.0	3.0	2.0	3.5	404	0.0	3.5	1.0	4.0	4.0	2.0	38.5	8.5	47.0	C	404
342	5.0	4.0	3.0	3.5	2.0	5.0	3.0	1.5	342	0.0	2.0	0.0	4.0	3.0	3.5	39.5	8.0	47.5	C	342
374	3.5	4.5	2.0	5.0	2.0	0.0	0.0	3.5	374	1.0	5.0	0.0	4.0	4.0	4.5	39.0	9.0	48.0	C	374
405	5.0	4.0	3.0	4.0	3.0	0.5	0.0	3.5	405	1.0	3.5	2.0	3.5	5.0	1.0	39.0	9.5	48.5	C	405
378	4.5	4.5	0.0	4.0	0.0	3.0	2.0	4.0	378	2.0	3.0	2.0	4.5	0.0	4.5	38.0	11.0	49.0	C	378
360	2.5	4.5	4.0	4.5	2.0	4.5	4.0	5.0	360	4.0	0.0	3.0	4.0	0.0	3.0	45.0	4.5	49.5	C	360
330	3.0	0.0	2.0	4.5	3.0	4.0	2.0	3.0	330	2.0	3.5	2.0	5.0	3.0	3.5	40.5	9.5	50.0	C	330
353	5.0	0.0	0.0	3.5	1.0	3.5	1.0	4.0	353	0.0	2.5	3.0	5.0	5.0	2.0	35.5	15.0	50.5	C	353
340	5.0	4.5	4.0	4.5	2.0	3.0	5.0	2.5	340	2.0	4.0	2.0	2.5	2.5	3.0	46.5	5.0	51.5	C	340
369	5.0	4.5	2.0	4.5	5.0	4.5	2.0	3.0	369	2.0	4.5	1.0	4.0	0.0	4.5	46.5	5.0	51.5	C	369
385	4.0	3.5	3.0	4.5	1.0	0.0	3.0	4.0	385	3.0	3.5	4.0	4.0	3.0	4.0	44.5	7.0	51.5	C	385
366	5.0	4.0	4.0	4.5	0.0	0.5	0.0	3.0	366	3.0	5.0	3.0	4.5	4.0	4.0	44.5	7.5	52.0	C	366
399	5.0	3.5	3.0	4.5	0.0	5.0	3.0	5.0	399	0.0	4.5	0.0	2.5	2.0	3.5	41.5	10.5	52.0	C	399
506	4.0	4.5	3.0	4.5	3.0	4.0	0.0	4.0	506	2.0	5.0	1.0	5.0	0.0	2.5	42.5	9.5	52.0	C	506
351	5.0	4.0	4.0	4.5	4.0	3.0	1.0	0.0	351	3.0	3.0	0.0	4.5	3.0	2.0	41.0	11.5	52.5	C	351
332	5.0	0.0	2.0	3.5	2.0	5.0	1.0	4.0	332	1.0	5.0	1.0	5.0	2.5	4.5	41.5	11.5	53.0	C	332
352	5.0	3.5	1.0	4.5	4.0	4.0	2.0	3.0	352	1.0	3.5	3.0	1.5	3.0	5.0	44.0	9.0	53.0	C	352
504	5.0	4.0	2.0	5.0	3.0	1.0	2.0	5.0	504	0.0	4.5	1.0	5.0	4.0	4.0	45.5	7.5	53.0	C	504
343	5.0	4.0	1.0	4.5	2.0	2.5	2.0	3.0	343	3.0	4.5	2.0	5.0	2.0	5.0	45.5	8.5	54.0	C	343
346	5.0	4.0	3.0	5.0	5.0	4.5	2.0	2.5	346	3.0	4.0	0.0	4.0	2.0	1.0	45.0	9.0	54.0	C	346
508	5.0	4.0	5.0	4.5	0.0	4.0	5.0	5.0	508	1.0	5.0	0.0	5.0	4.0	3.5	51.0	3.5	54.5	C	508
338	5.0	0.0	4.0	4.0	4.0	2.5	4.0	3.5	338	3.0	0.0	3.0	3.5	4.0	3.0	43.5	11.5	55.0	C	338
371	5.0	4.5	2.0	5.0	5.0	5.0	3.0	4.0	371	0.0	4.0	3.0	5.0	4.0	0.0	49.5	5.5	55.0	C	371

403	5.0	4.0	1.0	0.0	2.0	4.0	4.0	5.0	403	1.0	4.5	2.0	5.0	5.0	5.0	47.5	9.0	56.5	B	403
361	4.5	3.5	3.0	4.0	4.0	3.0	3.0	0.0	361	4.0	3.5	2.0	3.5	4.0	4.5	46.5	10.5	57.0	B	361
337	5.0	5.0	0.0	5.0	4.0	1.5	3.0	2.5	337	2.0	5.0	5.0	5.0	5.0	5.0	53.0	4.5	57.5	B	337
408	5.0	4.0	1.0	4.5	5.0	3.5	3.0	3.0	408	0.0	4.0	2.0	4.5	3.0	5.0	47.5	10.0	57.5	B	408
384	5.0	4.5	2.0	5.0	2.0	4.5	2.0	4.0	384	3.0	5.0	2.0	3.0	3.0	1.5	46.5	11.0	57.5	B	384
331	5.0	4.5	3.0	4.0	2.0	5.0	4.0	4.5	331	1.0	5.0	2.0	3.5	3.0	3.0	49.5	8.5	58.0	B	331
326	5.0	4.5	2.0	5.0	4.0	4.5	1.0	4.0	326	4.0	3.0	1.0	3.0	2.0	2.5	45.5	12.5	58.0	B	326
364	5.0	4.5	3.0	4.5	2.0	4.5	3.0	4.0	364	1.0	5.0	2.0	4.0	5.0	4.5	52.0	7.5	59.5	B	364
397	5.0	0.0	2.0	4.5	2.0	4.5	3.0	4.5	397	5.0	3.5	5.0	0.0	5.0	2.5	46.5	13.0	59.5	B	397
356	5.0	0.0	3.0	5.0	3.0	0.0	1.0	5.0	356	5.0	4.5	5.0	4.5	4.0	4.0	49.0	11.5	60.5	B	356
357	5.0	4.5	2.0	4.5	1.0	5.0	3.0	5.0	357	1.0	4.0	4.0	5.0	3.5	3.0	50.5	10.0	60.5	B	357
398	5.0	0.0	0.0	0.5	5.0	0.5	4.0	4.0	398	4.0	4.5	5.0	4.0	5.0	5.0	46.5	14.0	60.5	B	398
372	5.0	4.0	0.0	5.0	5.0	3.0	5.0	4.5	372	5.0	0.0	5.0	4.5	5.0	2.0	53.0	8.0	61.0	B	372
401	5.0	4.5	2.0	4.5	4.0	4.5	2.0	3.0	401	3.0	5.0	2.0	4.5	4.0	4.5	52.5	8.5	61.0	B	401
393	5.0	4.5	3.0	5.0	3.0	5.0	5.0	3.5	393	1.0	5.0	1.0	5.0	4.0	4.5	54.5	7.5	62.0	B	393
355	5.0	4.5	3.0	4.5	3.0	4.0	4.0	4.5	355	3.0	4.0	2.0	4.0	5.0	3.0	53.5	9.0	62.5	B	355
341	5.0	5.0	2.0	5.0	2.0	5.0	2.0	5.0	341	3.0	5.0	2.0	5.0	2.0	5.0	53.0	10.0	63.0	B	341
359	5.0	4.5	2.0	5.0	3.0	5.0	3.0	0.0	359	2.0	5.0	5.0	0.0	4.0	5.0	48.5	14.5	63.0	B	359
400	5.0	5.0	4.0	5.0	3.0	4.5	2.0	4.0	400	1.0	4.5	2.0	4.5	3.0	3.0	50.5	12.5	63.0	B	400
402	5.0	3.5	4.0	4.5	4.0	5.0	3.0	5.0	402	3.0	5.0	4.0	4.5	3.0	0.0	53.5	10.0	63.5	B	402
387	3.0	4.5	4.0	5.0	0.0	3.5	4.0	4.0	387	5.0	4.0	3.0	4.5	4.0	3.5	52.0	12.0	64.0	B	387
375	5.0	4.0	0.0	4.0	4.0	5.0	3.0	0.5	375	4.0	5.0	1.0	5.0	5.0	5.0	50.5	14.0	64.5	B	375
335	5.0	4.5	3.0	4.5	4.0	4.0	3.0	4.0	335	4.0	3.5	4.0	4.0	5.0	4.5	57.0	8.0	65.0	B	335
386	5.0	5.0	5.0	5.0	4.0	5.0	1.0	4.0	386	2.0	5.0	4.0	4.5	3.0	4.0	56.5	8.5	65.0	B	386
303	5.0	4.5	4.0	5.0	3.0	5.0	2.0	3.5	303	4.0	5.0	4.0	5.0	3.0	4.5	57.5	7.5	65.0	B	303
308	5.0	4.5	4.0	5.0	2.0	5.0	1.0	4.5	308	0.0	4.0	4.0	4.0	5.0	4.5	52.5	12.5	65.0	B	308
314	5.0	4.5	2.0	5.0	5.0	5.0	5.0	5.0	314	3.0	5.0	4.0	5.0	2.0	5.0	60.5	5.0	65.5	B	314
312	5.0	5.0	5.0	4.5	4.0	4.5	0.0	3.5	312	2.0	5.0	3.0	5.0	3.0	3.5	53.0	13.5	66.5	B	312
349	5.0	4.5	3.0	4.5	4.0	4.5	4.0	3.0	349	4.0	5.0	2.0	5.0	1.5	4.5	54.5	12.5	67.0	B	349
502	5.0	5.0	0.0	5.0	5.0	5.0	1.0	3.5	502	0.0	3.5	5.0	5.0	4.0	4.5	51.5	15.5	67.0	B	502
368	5.0	4.5	3.0	5.0	4.0	5.0	3.0	3.0	368	4.0	5.0	5.0	5.0	3.0	5.0	59.5	8.5	68.0	B	368
389	5.0	4.5	3.0	5.0	4.0	5.0	5.0	3.0	389	3.0	4.5	3.0	5.0	4.0	4.5	58.5	9.5	68.0	B	389
390	5.0	5.0	5.0	5.0	4.0	5.0	2.0	4.0	390	2.0	5.0	5.0	4.5	5.0	3.5	60.0	8.0	68.0	B	390
383	5.0	4.0	4.0	5.0	5.0	5.0	2.0	3.5	383	3.0	5.0	5.0	5.0	4.0	3.0	58.5	10.0	68.5	B	383
507	5.0	5.0	3.0	4.0	4.0	5.0	4.0	3.5	507	5.0	5.0	4.0	5.0	3.0	5.0	60.5	10.0	70.5	A	507
394	5.0	3.5	2.0	4.5	4.0	1.5	3.0	5.0	394	1.0	5.0	3.0	4.5	5.0	3.5	50.5	20.5	71.0	A	394
344	5.0	4.5	4.0	4.5	4.0	4.5	5.0	2.5	344	5.0	5.0	4.0	4.5	3.0	5.0	60.5	11.0	71.5	A	344
370	5.0	4.5	4.0	5.0	4.0	4.0	3.0	3.5	370	3.0	5.0	3.0	5.0	5.0	4.5	58.5	13.0	71.5	A	370
345	4.5	4.5	4.0	4.5	4.0	5.0	4.0	4.5	345	2.0	5.0	4.0	4.5	2.0	3.0	55.5	17.5	73.0	A	345
392	5.0	4.5	3.0	4.5	4.0	5.0	5.0	4.0	392	5.0	5.0	3.0	5.0	4.0	4.5	61.5	12.5	74.0	A	392
304	5.0	4.5	5.0	5.0	4.0	5.0	3.0	3.5	304	3.0	5.0	4.0	5.0	5.0	4.5	61.5	12.5	74.0	A	304
305	5.0	5.0	2.0	4.5	4.0	5.0	5.0	5.0	305	3.0	5.0	3.0	5.0	3.0	5.0	59.5	15.0	74.5	A	305
407	5.0	5.0	2.0	5.0	4.0	5.0	3.0	5.0	407	3.0	5.0	3.0	5.0	5.0	4.5	59.5	15.5	75.0	A	407
354	5.0	5.0	5.0	5.0	5.0	4.5	4.0	0.0	354	3.0	5.0	5.0	5.0	4.0	3.0	58.5	17.0	75.5	A	354
365	5.0	4.5	4.0	5.0	3.0	5.0	3.0	5.0	365	5.0	4.0	5.0	5.0	4.0	3.5	61.0	14.5	75.5	A	365
311	5.0	5.0	4.0	4.5	5.0	5.0	2.0	5.0	311	5.0	4.5	4.0	4.5	5.0	3.0	61.5	15.5	77.0	A	311
321	5.0	4.5	5.0	5.0	3.0	5.0	3.0	5.0	321	5.0	3.5	5.0	3.5	4.0	5.0	61.5	16.0	77.5	A	321
322	5.0	5.0	5.0	5.0	5.0	5.0	3.0	5.0	322	4.0	5.0	5.0	5.0	5.0	3.0	65.0	14.0	79.0	A	322
334	5.0	5.0	3.0	5.0	5.0	5.0	5.0	5.0	334	5.0	5.0	5.0	5.0	4.0	5.0	67.0	14.0	81.0	A	334
505	4.0	5.0	4.0	5.0	5.0	5.0	5.0	5.0	505	3.0	5.0	4.0	5.0	5.0	4.0	64.0	19.0	83.0	A	505
	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0		5.0	5.0	5.0	5.0	5.0	5.0	70.0	25.0	95.0		

